

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9874	((726/2-6) or (726/17) or (726/19) or (726/21) or (726/22-27) or (726/34) or (713/166) or (713/193) or (370/252) or (370/254)). OCLS.	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L2	245157	(request\$4 ask \$4 obtain\$3 determin\$8) near3 (location \$2 destination\$1 prope\$3)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L3	12523	(determin\$8) near3 (privacy preference\$1 association\$1 security\$1)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L4	3453	L2 and L3	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L5	3997	(privacy private \$3 secret\$6) near3 (location \$2 destination\$1 prope\$3)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L6	212	L4 and L5	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L7	13549	(privacy private \$4 securit\$3) near4 (preference\$1 set\$4 parameter \$1 specifie\$1 specify\$3)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L8	1366	(privacy private \$4 securit\$3) near4 (disabl\$4)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02

L9	5997	(privacy private \$4 securit\$3) near4 (enabl\$3)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L10	543	L9 and L8	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L11	141	L7 and L6	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L12	68	L11 and (requester\$1 requestor\$1)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L13	0	L10 and L12	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L14	2	L10 and L11	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L15	5997	(privacy private \$4 securit\$3) near4 (enabl\$3)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L16	1366	(privacy private \$4 securit\$3) near4 (disabl\$4)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L17	543	L15 and L16	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L18	13549	(privacy private \$4 securit\$3) near4 (preference\$1 set\$4 parameter \$1 specifie\$1 specify\$3)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L19	12523	(determin\$8) near3 (privacy preference\$1 association\$1 security\$1)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L20	245157	(request\$4 ask \$4 obtain\$3 determin\$8) near3 (location \$2 destination\$1 propert\$3)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L21	3997	(privacy private \$3 secret\$6) near3 (location \$2 destination\$1 propert\$3)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02

L22	3453	L20 and L19	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L23	212	L22 and L21	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L24	141	L18 and L23	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L25	2	L17 and L24	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L26	9874	((726/2-6) or (726/17) or (726/19) or (726/21) or (726/22-27) or (726/34) or (713/166) or (713/193) or (370/252) or (370/254)). OCLS.	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L27	1560	L26 and L18	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L28	13549	(privacy private \$4 securit\$3) near4 (preference\$1 set\$4 parameter \$1 specifie\$1 specify\$3)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L29	9874	((726/2-6) or (726/17) or (726/19) or (726/21) or (726/22-27) or (726/34) or (713/166) or (713/193) or (370/252) or (370/254)). OCLS.	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L30	1560	L29 and L28	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L31	245157	(request\$4 ask \$4 obtain\$3 determin\$8) near3 (location \$2 destination\$1 propert\$3)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02

L32	437	L30 and enabl\$3 and disabl\$4	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L33	142	L32 and L31	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L34	12523	(determin\$8) near3 (privacy preference\$1 association\$1 security\$1)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L35	3997	(privacy private \$3 secret\$6) near3 (location \$2 destination\$1 propt\$3)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L36	3453	L31 and L34	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L37	212	L36 and L35	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L38	141	L28 and L37	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L39	68	L38 and (requester\$1 requestor\$1)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L40	48	L39 and enabl\$3 and disabl\$4	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L41	12523	(determin\$8) near3 (privacy preference\$1 association\$1 security\$1)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L42	3997	(privacy private \$3 secret\$6) near3 (location \$2 destination\$1 propt\$3)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L43	245157	(request\$4 ask \$4 obtain\$3 determin\$8) near3 (location \$2 destination\$1 propt\$3)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L44	3453	L43 and L41	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L45	212	L44 and L42	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02

L46	13549	(privacy private \$4 securit\$3) near4 (preference\$1 set\$4 parameter \$1 specifie\$1 specify\$3)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L47	141	L46 and L45	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L48	142	L32 and L31	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L49	68	L47 and (requester\$1 requestor\$1)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L50	48	L49 and enabl\$3 and disabl\$4	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L51	3	trethewey near3 james	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L52	8	keskar near3 dhananjay	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L53	7	hoekstra near3 mat\$6	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L54	0	gadamestty near3 uma	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L55	6	agnihotri near3 manoj	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L56	1354	privacy near5 (preference\$1 select\$4 option \$1 choice\$1 specif\$3)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L57	42	L56 near7 determin\$6	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L58	35	L57 and request \$4	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L59	250280	(device\$1 computer\$1 system\$1 pc laptop lap-top\$1 pda node\$1 workstation\$1 station\$1) near4 (location\$1 propert\$3)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L60	4768	L59 near6 request\$4	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02

L61	2	L58 and L60	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L62	79	L56 and L60	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L63	383	L56 near7 (user \$1 requester\$1 requestor\$1 client\$1 person \$2)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L64	35	L62 and L63	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L65	35	L64 and L56	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L66	35	L65 and determin \$6	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L67	422	privacy near7 determin\$6	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L68	11	L66 and L67	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L69	50	L56 near6 request\$4	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L70	24	L69 near7 (user \$1 requester\$1 requestor\$1 client\$1 person \$2)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L71	15	L70 and L67	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L72	9	L70 and L59	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L73	14	(determin\$6 consider\$4) near6 (if\$1 whether) near6 (privacy) near5 (set\$3 specif\$5 select\$4)	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02
L74	7	L73 and L59	USPAT; IBM_TDB	OR	OFF	2009/04/22 13:02

4/ 22/ 09 1:19:31 PM

C:\Documents and Settings\LHa\My Documents\EAST\Workspaces\10663478.wsp